



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/998,858	10/31/2001	Wen-Ben Chou	LAM2P295	6935
25920	7590	08/16/2004	EXAMINER	
MARTINE & PENILLA, LLP 710 LAKEWAY DRIVE SUITE 170 SUNNYVALE, CA 94085			CHEN, KIN CHAN	
			ART UNIT	PAPER NUMBER
			1765	

DATE MAILED: 08/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/998,858	Applicant(s) CHOU ET AL. S.A.	
	Examiner Kin-Chan Chen	Art Unit 1765	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-16 and 21-25 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-16 and 21-25 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date: _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date: _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Double Patenting

1. Claim 4 is objected to under 37 CFR 1.75 as being a substantial duplicate of claim 21. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 3-16 and 21-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nguyen et al. (US 6,207,544; hereinafter "Nguyen") in view of Chiu et al. (US 6,333,27; hereinafter "Chiu") and Armacost et al. (US 6,051,504; hereinafter "Armacost").

Nguyen teaches a method for fabricating a nitride spacer of a gate structure. A first etch process may be performed using a first etchant gas. The first etch process may be discontinued upon removing the portion of the spacer layer, leaving a thin spacer layer. The endpoint detection method may be used to detect a removal of a portion of a spacer layer having a specific thickness. A second etch process may be performed using a second etchant gas. The second etch process may be configured to remove the thin spacer layer. The second etch process may be discontinued when the second etch process has continued for a predetermined period time. The etching may be performed in-situ. The second etch process is configured to remove the thin spacer layer, leaving the spacer for the gate structure (col. 5, lines 10-17, col. 6, lines 28-40). Nguyen teaches that the endpoint of etching may be determined **using traditional optical spectrometers** (col. 6, lines 10-12). The claimed invention differs from Nguyen by specifying using interferometry for first etch endpoint detection (e.g., claims 1, 6, and 7) and using non-interferometry for second etch endpoint detection. However, they are common methods for endpoint detection in dry etching process. In a method of multi-step plasma etch method, Chiu teaches using first plasma etch method and using first detection apparatus (such as interferometry) to partially etch a microelectronic layer and employing second plasma etch employing a second detection apparatus (such as plasma / optical emission spectroscopy, so-called non-IEP) in order to accurately determine the endpoint of plasma etching, measure /control the thickness (abstract, col. 2, lines 44-66; col. 12, lines 23-28). Hence, it would have been obvious to one with ordinary skilled in the art to use said two-step etching and endpoint detection of Chiu in

Art Unit: 1765

the process of Nguyen because Chiu teaches that to do so would accurately determine the endpoint of plasma etching, measure /control the thickness. Furthermore, it would have been obvious to one with ordinary skilled in the art to use commonly used endpoint detection methods in the plasma etching process when required, see Maydan et al. (US 4,618,262) and Gardner et al. (US 5,912,188) as evidences in the record for the commonly used interferometry and non-interferometry (non IEP) methods for etching endpoint detection. Nguyen teaches that the etching selectivity may be 2:1 when performing a second etch process which shows higher etching rate for nitride layer (spacer layer) than the underlying layer, hence, **it is considered to have a high selectivity, this is particularly true given that term must be given their broadest reasonable interpretation consistent with, but not improperly limited by.** If applicant contends that the etchant does not have high selectivity, Armacost teaches that the etchant of C_2F_6 , CH_2F_2 , and O_2 may be used to etch silicon nitride layer from a multiplayer structure in order to etch high aspect ratio silicon nitride and avoid loss of image integrity (abstract; col. 2). Hence, it would have been obvious to one with ordinary skilled in the art to use the etchant of Armacost in the process of the combined prior art so as to etch high aspect ratio silicon nitride and avoid loss of image integrity. In addition, **the disclosed etching composition is considered to have the same etching properties (e.g., high selectivity) because they are the same composition defined in the applicant's claims.**

The limitations of dependent claims 4, 5, 8, 10,11, 15, and 16 have been addressed above and rejected for the same reasons, supra.

As to dependent claims 3 and 9, with the interferometry method, It would have been obvious to one with ordinary skilled in the art to determine the thickness of an etch depth during the etch operation implementing the distance between consecutive maximum intensities.

Dependant claims 12, 13, and 14 differ from the prior art by specifying various thickness of the spacer. Because same are merely a matter of choices of design depending on the product requirements, it would be obvious to one skilled in the art to use various dimensions for fabricating a semiconductor device in order to accommodate the specific product design and meet the product requirement. It is noted that applicant did not traverse the aforementioned conventionality (e.g., well-known features, obviousness), which have been stated in the previous office action (October 8, 2003).

4. Claims 1, 3-16, 21-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yu et al. (US 6,277,700; hereinafter "Yu") in view of Chiu et al. (US 6,333,27; hereinafter "Chiu") and Armacost et al. (US 6,051,504; hereinafter "Armacost").

Yu teaches a method for fabricating a nitride spacer of a gate structure. A first etch process may be performed using a first etchant gas. The first etch process may be discontinued upon removing the portion of the spacer layer, leaving a thin spacer layer. The endpoint detection method may be used to detect a removal of a portion of a spacer layer having a specific thickness. A second etch process may be performed using a second etchant gas. The second etch process may be configured to remove the thin spacer layer. The second etch process may be discontinued when the second etch

process has continued for a predetermined period time. The etching may be performed in-situ. The second etch process is configured to remove the thin spacer layer, leaving the spacer for the gate structure (col.1, lines 64 through col. 2, lines 60).

Yu teaches that the endpoint of etching may be determined with endpoint detection (col. 2, lines 58-59). The claimed invention differs from Yu by specifying using interferometry for first etch endpoint detection (e.g., claims 1, 6, and 7) and using non-interferometry for second etch endpoint detection. However, they are common methods for endpoint detection in dry etching process. In a method of multi-step plasma etch method, Chiu teaches using first plasma etch method and using first detection apparatus (such as interfermetry) to partially etch a microelectronic layer and employing second plasma etch employing a second detection apparatus (such as plasma / optical emission spectroscopy, so-called non-IEP) in order to accurately determine the endpoint of plasma etching, measure / control the thickness (abstract, col. 2, lines 44-66; col. 12, lines 23-28). Hence, it would have been obvious to one with ordinary skilled in the art to use said two-step etching and endpoint detection of Chiu in the process of Yu because Chiu teaches that to do so would accurately determine the endpoint of plasma etching, measure / control the thickness. Furthermore, it would have been obvious to one with ordinary skilled in the art to use commonly used endpoint detection methods in the plasma etching process when required, see Maydan et al. (US 4,618,262) and Gardner et al. (US 5,912,188) as evidences in the record for the commonly used interferometry and non-interferometry methods for etching endpoint detection. Nguyen teaches that the etching selectivity may be 2:1 when performing a

second etch process which shows higher etching rate for nitride layer (spacer layer) than the underlying layer, hence, **it is considered to have a high selectivity, this is particularly true given that term must be given their broadest reasonable interpretation consistent with, but not improperly limited by.** If applicant contends that the etchant does not have high selectivity, Armacost teaches that the etchant of C_2F_6 , CH_2F_2 , and O_2 may be used to etch silicon nitride layer from a multiplayer structure in order to etch high aspect ratio silicon nitride and avoid loss of image integrity (abstract; col. 2). Hence, it would have been obvious to one with ordinary skill in the art to use the etchant of Armacost in the process of the combined prior art so as to etch high aspect ratio silicon nitride and avoid loss of image integrity. In addition, the disclosed etching composition is considered to have the same etching properties (e.g., high selectivity) **because they are the same composition defined in the applicant's claims.**

As to dependent claims 3 and 9, with the interferometry method, It would have been obvious to one with ordinary skill in the art to determine the thickness of an etch depth during the etch operation implementing the distance between consecutive maximum intensities.

The limitations of dependent claims 4, 5, 8, 10, 11, 15, and 16 have been addressed above and rejected for the same reasons, *supra*.

Dependant claims 12, 13, and 14 differ from the prior art by specifying various thickness of the spacer. Because same are merely a matter of choices of design depending on the product requirements, it would be obvious to one skilled in the art to

use various dimensions for fabricating a semiconductor device in order to accommodate the specific product design and meet the product requirement. It is noted that applicant did not traverse the aforementioned conventionality (e.g., well-known features, obviousness), which have been stated in the previous office action (October 8, 2003).

Response to Arguments

5. Applicant has argued that the second etchant gas of Nguyen has a low selectivity to the underlying layer. It is not persuasive. In fact, Nguyen teaches that the etching selectivity may be 2:1 when performing a second etch process which shows higher etching rate for nitride layer (spacer layer) than the underlying layer, hence, **it is considered to have a high selectivity, this is particularly true given that term must be given their broadest reasonable interpretation consistent with, but not improperly limited by.** Applicant has not pointed out any clearly defined "high selectivity" in the specification. A statement or argument of "the selectivity of approx. 8:1 to be a high selectivity" is not factual evidence. See MPEP 716.01.

Furthermore, Armacost teaches that the etchant of C_2F_6 , CH_2F_2 , and O_2 may be used to etch silicon nitride layer from a multiplayer structure. The disclosed etching composition **is considered to have the same etching properties (e.g., high selectivity) because they are the same composition defined in the applicant's claims.** In fact, It is noted that the first and second etchant in the claimed invention **seem to be same etchant (e.g., C_2F_6 , CH_2F_2 , and O_2).** Applicant's argument that the

instantly claimed invention, which has same composition of the etchant (e.g., C_2F_6 , CH_2F_2 , and O_2) of Armacost, would yield different, unexpected results. However, applicant does not point out the evidence or indication in the specification or provide any **declaration** to show that the aforementioned composition differs from typical etchant and therefore yield different result, if any.

The specification (disclosure) must teach those skilled in the art how to make and use the full scope of the claimed invention without "undue experimentation". *In re Wright*, 999 F.2d 1557, 1561, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993).

Once a reference teaching product (composition) appearing to be substantially identical is made the basis of a rejection, and the examiner presents evidence of reasoning to show inherency, the burden shifts to the applicant to show an unobvious difference. Whether the rejection is based on "inherency" under 35 U.S.C. §102, or on "prima facie obviousness" under 35 U.S.C. §103, jointly or alternatively.

In re Fitzgerald, 619 F.2d 67, 70, 205 USPQ 594, 596 (CCPA 1980). See also *In re Best*, 562 F.2d 1252, 1255, 195 USPQ 430, 433-34 (CCPA 1977).

Applicant has argued that one skilled in the art would not have disregarded the explicated teaching of using He or Chlorine of Nguyen or Chiu. It is not persuasive. As has been stated in the office action, Armacost teaches that the etchant of C_2F_6 , CH_2F_2 , and O_2 may be used to etch silicon nitride layer from a multiplayer structure **in order to etch high aspect ratio silicon nitride and avoid loss of image integrity** (abstract; col. 2). Hence, it would have been obvious to one with ordinary skilled in the art to use

the etchant of Armacost in the process of the combined prior art so as to etch high aspect ratio silicon nitride and avoid loss of image integrity.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Maydan et al. (US 4,618,262) teach the commonly used interferometry method for etching endpoint detection. Gardner et al. (US 5,912,188) show that four common methods for determining the endpoint of dry etching process including interferometry and optical emission spectroscopy (col. 2, lines 9-16). Rutzke (US 6,122,050) teaches that plasma –optical emission spectrometer is a species of plasma spectrometer (col. 1, lines 35-58).


7. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of

the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kin-Chan Chen whose telephone number is (571) 272-1461. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nadine Norton can be reached on (571) 272-1465. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

August 12, 2004


Kin-Chan Chen
Primary Examiner
Art Unit 1765